



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/534,359	11/04/2005	Cyril Valadon	TTP104248	4862
20280	7590	04/02/2008		
MOTOROLA INC 600 NORTH US HIGHWAY 45 W4 - 39Q LIBERTYVILLE, IL 60048-5343			EXAMINER AHMED, ENAM	
			ART UNIT 2112	PAPER NUMBER
			NOTIFICATION DATE 04/02/2008	DELIVERY MODE ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

DOCKETING.LIBERTYVILLE@MOTOROLA.COM  
ADB035@Motorola.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/534,359	<b>Applicant(s)</b> VALADON, CYRIL	
	<b>Examiner</b> ENAM AHMED	<b>Art Unit</b> 2112	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 20-36.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 20-36 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 20-36 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>5/9/05 and 8/14/06</u> .                                      | 6) <input type="checkbox"/> Other: _____                          |

Non – Final Rejection

35 U.S.C. 103

a. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 20, 23-24, 28, 31-32 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ramprashad et al. (U.S. Patent No. 6,694,474) in view of Nagata et al. (U.S. Patent No. 7,072,926).

With respect to claims 20, 28 and 36 the Ramprashad et al. reference teaches performing a test on candidate formats in turn but refraining from testing further candidate formats once a candidate format passes the test, wherein the test determines whether or not a candidate format is likely to be the format used on the signal and the test, for a given candidate format, comprises (column 5, lines 57-64); decoding a part of

said signal ending at said point (column 1, lines 14-50); and performing a check using said decoded part to determine whether the candidate block satisfies an error protection scheme of the given candidate format (column 2, lines 23-49), (column 3, lines 27-40), (column 4, lines 38-47). The Ramprashad et al. reference does not teach using a Viterbi algorithm to determine trellis metrics for a point in said signal that would be an end point of a candidate block according to the given candidate format and determining from said metrics the likelihood of occupation at said point of an end state of an encoding scheme used to create the encoded signal. The Nagata et al. reference teaches using a Viterbi algorithm to determine trellis metrics for a point in said signal that would be an end point of a candidate block according to the given candidate format (column 1, line 43 – column 2, line 12) and determining from said metrics the likelihood of occupation at said point of an end state of an encoding scheme used to create the encoded signal (column 3, lines 26-41). Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to have combined the references Ramprashad et al. and Nagata et al. to incorporate using a Viterbi algorithm to determine trellis metrics for a point in said signal that would be an end point of a candidate block according to the given candidate format and determining from said metrics the likelihood of occupation at said point of an end state of an encoding scheme used to create the encoded signal into the claimed invention. The motivation for using a Viterbi algorithm to determine trellis metrics for a point in said signal that would be an end point of a candidate block according to the given candidate format and determining from said metrics the likelihood of occupation at said point of an end state of an encoding scheme used to create the encoded signal is to reduce the complexity of a large lookup table or software implementation or

implementation of the logarithm function used in the reliability function (column 4, lines 64-67 – Nagata et al. reference).

With respect to claims 23 and 31, all of the limitations of claims 20 and 28 have been addressed. The Ramprashad et al. reference does not teach wherein the likelihood of occupation obtained from said metrics is used to determine whether said checking step is to be performed. The Nagata et al. reference teaches wherein the likelihood of occupation obtained from said metrics is used to determine whether said checking step is to be performed (column 1, line 43 – column 2, line 12). Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to have combined the references Ramprashad et al. and Nagata et al. to incorporate wherein the likelihood of occupation obtained from said metrics is used to determine whether said checking step is to be performed into the claimed invention. The motivation for wherein the likelihood of occupation obtained from said metrics is used to determine whether said checking step is to be performed is to reduce the complexity of a large lookup table or software implementation or implementation of the logarithm function used in the reliability function (column 4, lines 64-67 – Nagata et al. reference).

With respect to claims 24 and 32, all of the limitations of claims 20 and 28 have been addressed. The Ramprashad et al. reference does not teach wherein the likelihood of occupation obtained from said metrics is used to determine whether said decoding step is to be performed. The Nagata et al. reference teaches wherein the likelihood of occupation obtained from said metrics is used to determine whether said decoding step is to be performed (column 1, line 43 – column 2, line 12). Thus, it would have been

obvious to one of ordinary skill in the art at the time of the invention was made to have combined the references Ramprashad et al. and Nagata et al. to incorporate wherein the likelihood of occupation obtained from said metrics is used to determine whether said decoding step is to be performed into the claimed invention. The motivation for wherein the likelihood of occupation obtained from said metrics is used to determine whether said decoding step is to be performed is to reduce the complexity of a large lookup table or software implementation or implementation of the logarithm function used in the reliability function (column 4, lines 64-67 – Nagata et al. reference).

Claims 25-27 and 33-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ramprashad et al. (U.S. Patent No. 6,694,474), Nagata et al. (U.S. Patent No. 7,072,926) in view of Ramesh et al. (U.S. Patent No. 6,917,629).

With respect to claims 25 and 33, all of the limitations of claims 20 and 28 have been addressed. The Ramprashad et al. reference does not teach wherein the given candidate format specifies that the candidate block has a data part and a checksum part and the checking step comprises generating a corroborative checksum from a part of the candidate block that would be data according to the given candidate format and comparing the corroborative checksum with the said checksum part. The Ramesh et al. reference teaches wherein the given candidate format specifies that the candidate block has a data part and a checksum part and the checking step comprises generating a corroborative checksum from a part of the candidate block that would be data according to the given candidate format and comparing the corroborative checksum with the said checksum part (column 2, lines 13-29). Thus, it would have been obvious to one of

ordinary skill in the art at the time of the invention was made to have combined the references Ramprashad et al. and Ramesh et al. to incorporate wherein the given candidate format specifies that the candidate block has a data part and a checksum part and the checking step comprises generating a corroborative checksum from a part of the candidate block that would be data according to the given candidate format and comparing the corroborative checksum with the said checksum part into the claimed invention. The motivation for wherein the given candidate format specifies that the candidate block has a data part and a checksum part and the checking step comprises generating a corroborative checksum from a part of the candidate block that would be data according to the given candidate format and comparing the corroborative checksum with the said checksum part is to provide a more robust communications system allowing for both the detection and correction of bit transmission errors (column 5, lines 63-64 – Ramesh et al. reference).

With respect to claims 26 and 34, the Ramprasad et al. reference teaches wherein said decoded part contains said data part of the candidate block (column 2, lines 23-49).

With respect to claims 27 and 35, all of the limitations of claims 25 and 33 have been addressed. The Ramprashad et al. reference does not teach wherein said decoded part contains a section only of said data part of the candidate block and the corroborative checksum is generated from said section using an intermediate checksum value as a starting point. The Ramesh et al. reference teaches wherein said decoded part contains a section only of said data part of the candidate block and the

corroborative checksum is generated from said section using an intermediate checksum value as a starting point (column 2, lines 13-29). Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to have combined the references Ramprashad et al. and Ramesh et al. to incorporate wherein said decoded part contains a section only of said data part of the candidate block and the corroborative checksum is generated from said section using an intermediate checksum value as a starting point into the claimed invention. The motivation for wherein said decoded part contains a section only of said data part of the candidate block and the corroborative checksum is generated from said section using an intermediate checksum value as a starting point is to provide a more robust communications system allowing for both the detection and correction of bit transmission errors (column 5, lines 63-64 – Ramesh et al. reference).

Claims 21-22 and 29-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ramprashad et al. (U.S. Patent No. 6,694,474), Nagata et al. (U.S. Patent No. 7,072,926) in view of Kuwazoe (U.S. Pub. No. 2002/0051505).

With respect to claims 21 and 29, all of the limitations of claims 20 and 21 have been addressed. The Ramprashad et al. reference does not teach wherein the step of determining the likelihood of occupation of the end state comprises comparing the maximum metric at the end point with the end state metric at the end point. The Kuwazoe reference teaches wherein the step of determining the likelihood of occupation of the end state comprises comparing the maximum metric at the end point with the end state metric at the end point ( [0007] and [0011] ). Thus, it would have been obvious to

one of ordinary skill in the art at the time of the invention was made to have combined the references Ramprashad et al. and Kuwazoe to incorporate wherein the step of determining the likelihood of occupation of the end state comprises comparing the maximum metric at the end point with the end state metric at the end point into the claimed invention. The motivation for wherein the step of determining the likelihood of occupation of the end state comprises comparing the maximum metric at the end point with the end state metric at the end point is for high speed with a simple circuit configuration ( [0079] - Kuwazoe reference).

With respect to claims 22 and 30, all of the limitations of claims 21 and 22 have been addressed. The Ramprashad et al. reference does not teach wherein the step of determining the likelihood of occupation of the end state comprises comparing the maximum metric at the end point with the end state metric at the end point. The Kuwazoe reference teaches wherein the step of determining the likelihood of occupation of the end state comprises comparing the maximum metric at the end point with the end state metric at the end point ( [0013 - 0014] and [0024] ). Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to have combined the references Ramprashad et al. and Kuwazoe to incorporate wherein the step of determining the likelihood of occupation of the end state comprises comparing the maximum metric at the end point with the end state metric at the end point into the claimed invention. The motivation for wherein the step of determining the likelihood of occupation of the end state comprises comparing the maximum metric at the end point with the end state metric at the end point is for high speed with a simple circuit configuration ( [0079] - Kuwazoe reference).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Enam Ahmed whose telephone number is 571-270-1729. The examiner can normally be reached on Mon-Fri from 8:30 A.M. to 5:30 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jacques Louis-Jacques, can be reached on 571-272-6962.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

EA

3/27/08

/JACQUES H LOUIS-JACQUES/  
Supervisory Patent Examiner, Art Unit 2112